

MHC Dextramer® Optimization Kit (RUO)

HLA-A*0201 / NLVPMVATV / FITC

Cat. No. WB021320 FI

	For research use only. Not for use in diagnostic procedures.
Recommended use	Optimization of assay conditions for detection of antigen-specific T cells e.g. in tissue sections.
Introduction	MHC Dextramer® reagents are recommended for identification, enumeration and tracing of antigen-specific T cells during the cell-mediated immune response to e.g. infections, tumours or vaccination programs. MHC Dextramer® reagents consist of a polymer backbone carrying multiple pMHC and FITC (fluorochrome) molecules, ensuring the binding of antigen-specific T cells and visualization, respectively.
Reagent provided	The MHC Dextramer® Optimization Kit (RUO) comprises three vials of MHC Dextramer® reagents ("Low", "Medium", and "High") carrying a Low, Medium and High number of pMHC molecules, respectively. The three MHC Dextramer® reagents have the same specificity, i.e. the Dextramer® reagents display same allele and peptide.
	The three MHC Dextramer® reagents provided are: WB02132O FI Low, WB02132O FI Medium, and WB02132O FI High.
	The MHC Dextramer® reagents carry a high number of fluorescein isothiocyanate isomer 1 (FITC) molecules. The FITC molecule may be used directly as a fluorescent label, or as a tag for a secondary antibody/visualization system.
	The MHC Dextramer® reagents are provided in Tris-buffer containing 1% bovine serum albumin (BSA) and 15 mmol/L NaN ₃ , pH 7.2.
MHC allele	HLA-A*0201
Peptide	NLVPMVATV
Precautions	1. The device is not intended for clinical use including diagnosis, prognosis, and monitoring of a disease state, and it must not be used in conjunction with patient records or treatment.
	2. This product contains sodium azide (NaN ₃), a chemical highly toxic in pure form. At product concentrations, though not classified as hazardous, sodium azide may react with lead and copper plumbing to form highly explosive build-ups of metal azides. Upon disposal, flush with large volumes of water to prevent metal azide build-up in plumbing.
	3. As with any product derived from biological sources, proper handling procedures should be used.
Storage	Store in the dark at 2-8 °C. Do not freeze. Keep away from sunlight.